SEAMLESS SYSTEMS.

Increase control and efficiency with a complete LiftMaster® access solution.



HIGH-TRAFFIC PERFORMANCE

Continuous-duty motors in our gate operators are designed to meet the demands of commercial/industrial use.

ENTRANCE MANAGEMENT

Grant access to specified individuals with credentialed receivers.





24/7 REMOTE ACCESS

LiftMaster Cloud™-powered management and reporting.

TRAFFIC CONTROL

Customize a complete Motorized Traffic Control System, fully integrating an operator, barrier arm and traffic spikes.



CUSTOM-BUILT SOLUTIONS.

Find our recommended products below, with additional options for specific applications. Our dealers can help you find a system tailored to your exact needs.



Gate Operators



SL595UL Heavy-Duty AC Industrial Slide Gate Operator



CSL24UL High-Traffic DC Commercial Slide Gate Operator with Battery Backup

- SL585UL Industrial AC Slide Gate Operator SL3000UL
- High-Traffic AC Commercial Slide Gate Operator CSW24UL
- High-Traffic DC Commercial Battery Backup MTS/MTF
- Fully Integrated Barrier Gate Traffic Spike Solution

Safety Entrapment Protection



Monitored Through-Beam Photo Eyes



LMWEKITU Monitored Wireless Edge Kit



L505AL Monitored Resistive Edge

- WS5/WR5 Monitored Resistive Wraparound Edge (Square/Round)
- L50 + L50E + L50CHAL Monitored Resistive Standard Edge Components LMRRUL
- Swing Gate Operator with
- Photo Eye CPSUN4G Commercial Protector System® stop operation. Monitored Through-Beam Photo Eyes

Monitored Retro-Reflective



CAPXL Connected Access Portal, High Capacity



Connected Access Portal, 2-Door Controller

Access Control



- Cloud-Hosted 24/7 Access Management
- LMMC-MINI ProxPoint® Plus Card Reader CAPCELL
- Cellular 4G/LTE Modem PED42

Gooseneck Pedestal

LMPC2-ST

PPWR

PPLK1PH

Credential Access Receiver

1-Button Passport Lite Mini Keychain Proximity Remote

Traffic System



Manual Heavy-Duty Surface-Mount Traffic Spikes



LOOPDETLM

- RGL24LY Red/Green Traffic Light
 - MALED12 12 ft. LED Barrier Arm

AC gate operators feature heavy-duty wormgear motor design. DC operators feature smooth start/

AC gate operators SL585UL and SL595UL include a built-in Lockout/Tagout feature, which restricts turning on the power to the operator while it's being serviced. This prevents accidents and meets OSHA requirements.

NONSTOP SERVICE.

Complete access solutions for safe and efficient operations.



LEARN MORE.

© 2018 LiftMaster All Rights Reserved 300 Windsor Drive, Oak Brook, IL 60523

Wi-Fi® is a registered trademark of Wi-Fi Alliance LMPAENBRTPAS 5/18



Contact Your LiftMaster® Dealer

UL® and the UL logo are trademarks of UL LLC © 2018 All Rights Reserved.



Find a Dealer at LiftMaster.com



Lift Master



COMPREHENSIVE SOLUTIONS. RELIABLE PERFORMANCE.

LiftMaster® access solutions deliver industry-leading performance, safety and reliability. From commercial/industrial-grade operators to safety accessories and access management reports, our products offer best-in-class features that keep your facility operating smoothly.



THE BOTTOM LINE:



Fully integrated system: LiftMaster's full line of access solutions is tested to work together as a complete system.

Technologically advanced products: Utilize wireless technology available in our keypads, radios, remotes, dual-gate operators, loop detectors and safety edges.

Unrivaled product experience: Intuitive access management solutions and user-friendly products are simple and easy to use.

Ultra-reliable performance: Our operators offer best-in-class features designed to extend gate and hardware life.

SAVES NUISANCE **EXPENSES DUE TO** COMPATIBILITY ISSUES

VALUE

SIMPLIFIES INSTALLATION, SAVING TIME AND MONEY

KEEPS YOUR FACILITY MOVING EFFICIENTLY

LASTING, WORRY-FREE OPERATION





CUSTOM SOLUTIONS

Our extensive line of operators and accessories can be configured for almost any application.







SEAMLESS INTEGRATION


Products utilize advanced technology to work together as a comprehensive access system.



SYSTEMATIC SAFETY.

Beginning August 1, 2018, for a LiftMaster Slide Gate Operator to function and meet UL® 325 requirements, the operator will require a minimum of 2 independent monitored safety entrapment protection devices for each entrapment zone: 2 in the open direction and 2 in the close direction (inherent reversing system counts as 1 device).*

*Every installation is unique. It is the responsibility of the installer to ensure that all entrapment zones are protected with a minimum of 2 entrapment protection devices.







Monitored Retro-Reflective

Photo Eye (LMRRUL)



Monitored Wireless

Edge Kit (LMWEKITU)









Wraparound Square Profile (WS5)

Monitored Small Profile Resistive Edge (S505AL)







